

### IN THE CLAIMS

1.(canceled) A timing recovery control signal generated in a timing recovery loop based upon an equalized feedback signal.

2.(currently amended) A timing recovery loop in the front end of a digital receiver, comprising:

a sample rate converter which receives a symbol stream at a first sampling rate and outputs the symbol stream at a second sampling rate responsive to a timing recovery (TR) control signal;

a forward equalizer generating an equalized feedback signal based on the symbol stream at the second sampling rate; and

a timing recovery circuit generating the TR control signal based upon the equalized feedback signal; and

a carrier recovery circuit electrically coupling the sample rate converter to the forward equalizer.

3.(cancelled) The timing recovery loop as recited in claim 2, further comprising a carrier recovery circuit electrically coupling the sample rate converter to the forward equalizer.

4.(original) The timing recovery loop as recited in claim 3, further comprising a finite impulse response (FIR) filter electrically coupling the carrier recovery circuit to the forward equalizer.

5.(original) The timing recovery loop as recited in claim 4, wherein the FIR filter is a square-root raised cosine filter.

6.(original) A digital receiver connected to N antennae including N timing recovery loops electrically coupled to the N

antennae, each of the N timing recovery loops constructed as recited in claim 2. .

7. (currently amended) A timing recovery loop in the front end of a digital receiver including N antennae, comprising:

N sample rate converters ~~which receive~~ each receiving an Nth symbol stream at a first sampling rate from an Nth antenna and outputs the Nth symbol stream at a second sampling rate responsive to a timing recovery (TR) control signal;

N forward equalizers generating an Nth equalized feedback signal based on the Nth symbol stream at the second sampling rate, respectively; and

a timing recovery circuit generating the TR control signal based upon the N equalized feedback signals.

8. (original) The timing recovery loop as recited in claim 7, further comprising N carrier recovery circuits, each electrically coupling an Nth one of the N sample rate converters to an Nth one of the forward equalizers.

9. (original) The timing recovery loop as recited in claim 8, further comprising N finite impulse response (FIR) filters, each electrically coupling an Nth one of the carrier recovery circuits to an Nth one of the forward equalizers.

10. (original) The timing recovery loop as recited in claim 9, wherein each of the N FIR filters is a square-root raised cosine filter.

11. (original) A timing recovery loop in the front end of a digital receiver including N antennae, comprising:

N sample rate converters, each receiving an Nth symbol stream at a first sampling rate from an Nth antenna and outputting the Nth symbol stream at a second sampling rate responsive to a timing recovery (TR) control signal;

N forward equalizers, each generating an Nth equalized feedback signal based on the Nth symbol stream at the second sampling rate, respectively; and

a timing recovery circuit generating the TR control signal based upon a selected one of the N equalized feedback signals.

12.(original) The timing recovery loop as recited in claim 11, further comprising N carrier recovery circuits, each electrically coupling an Nth one of the N sample rate converters to an Nth one of the forward equalizers.

13. (original)The timing recovery loop as recited in claim 12, further comprising N finite impulse response (FIR) filters, each electrically coupling an Nth one of the carrier recovery circuits to an Nth one of the forward equalizers.

14.(original) The timing recovery loop as recited in claim 13, wherein each of the N FIR filters is a square-root raised cosine filter.

15.(original) The timing recovery loop as recited in claim 11, further comprising a selector receiving N signals based on the N equalized feedback signals at N respective input terminals and applying the selected one of the N signals to the timing recovery circuit.

16. (currently amended) A method for operating a digital receiver including a sample rate converter responsive to a timing recovery (TR) control signal, comprising:

generating an equalized feedback signal based on a symbol stream having a controlled sample rate using a forward equalizer;

producing the TR control signal based on the equalized feedback signal; and

applying the TR control signal to the sample rate converter to thereby permit the sample rate converter to output the symbol stream at the controlled sample rate; and

coupling the sample rate converter to the forward equalizer using a carrier recovery circuit.

17. (currently amended) A method for operating a digital receiver, including N sample rate converters responsive to a timing recovery (TR) control signal, connected to N antennae, respectively, comprising:

generating N equalized feedback signals, each based on an Nth symbol stream having a controlled sample rate;

combining the N equalized feedback signal to produce a combined equalized feedback signal;

producing the TR control signal based on the combined equalized feedback signal; and

applying the TR control signal to the sample rate ~~converter~~ converters to thereby permit the N sample rate converters to output N symbol streams at the controlled sample rate.

18. (currently amended) A method for operating a digital receiver, including N sample rate converters responsive to a timing recovery (TR) control signal, connected to N antennae, respectively, comprising:

generating N equalized feedback signals, each based on an Nth symbol stream having a controlled sample rate;

selecting one of the N equalized feedback signals to produce a selected equalized feedback signal;

producing the TR control signal based on the selected equalized feedback signal; and

applying the TR control signal to the sample rate ~~converter~~ converters to thereby permit the N sample rate converters to output N symbol streams at the controlled sample rate.